U.S. Patent Application No. 10/735,394

Reply to Advisory Action dated September 22, 2006

concerning Office Action of June 13, 2006

Date: October 26, 2006

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of the Claims:

Claim 1 (currently amended): An inverted microscope having a U-shaped microscope

housing (1), on one limb (2) whereof is provided a housing attachment surface (3) for attachment

of a module, wherein said housing attachment surface (3) is parallel to the base of said inverted

microscope; and,

wherein said module (4) comprises a horizontally protruding base unit (5) having on the one

hand a binocular tube (6) placed thereon, and on the other hand a photo tube (7), with photo

device (8), placed thereon and wherein said binocular tube (6) and said photo tube (7) extend

above said housing attachment surface (3) when said module (4) is removably attached to said

housing attachment surface (3).

Claim 2 (currently amended): The inverted microscope as defined in Claim 1, wherein the

module (4) is embodied as a one-piece combination module (4; 5, 6, 7) and has on its underside a

module attachment apparatus (9) that is configured to be removably attached to the housing

attachment surface (3).

Claim 3 (previously presented): The inverted microscope as defined in Claim 1, wherein the

vertical optical axis (10) of the observation beam bundle, extending in the one limb (2),

penetrates through a first optical deflection element (11) after entering the base unit (5), and then

passes through a first tube lens (12) arranged in the binocular tube (6), while the photo beam (13)

deflected at the optical deflection element (11), after passage through a second tube lens (14) and

U.S. Patent Application No. 10/735,394

Reply to Advisory Action dated September 22, 2006

concerning Office Action of June 13, 2006

Date: October 26, 2006

after deflection at a second optical deflection element (15), enters the photo tube (7) with

attached photo device (8).

Claim 4 (currently amended): The inverted microscope as defined in Claim [[3]] 1,

further comprising an optical deflection element (11) in said module and wherein the optical

deflection element (11) can be selectably brought into or out of the working position.

Claim 5 (previously presented): The inverted microscope as defined in Claim 1, wherein an

infinity beam exists in the region of an attachment surface (9a) of the module attachment

apparatus (9).

Claim 6 (previously presented): The inverted microscope as defined in Claim 1, wherein the

eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from those in

the photo tube (7) or photo device (8).

Claim 7 (original): The inverted microscope as defined in Claim 6, wherein the

eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the photo

tube (7) or photo device (8) have an HC correction.

Claim 8 (previously presented): The inverted microscope as defined in Claim 2, wherein the

vertical optical axis (10) of the observation beam bundle, extending in the one limb (2),

penetrates through a first optical deflection element (11) after entering the base unit (5), and then

passes through a first tube lens (12) arranged in the binocular tube (6), while the photo beam (13)

deflected at the optical deflection element (11), after passage through a second tube lens (14) and

after deflection at a second optical deflection element (15), enters the photo tube (7) with

attached photo device (8).

U.S. Patent Application No. 10/735,394

Reply to Advisory Action dated September 22, 2006

concerning Office Action of June 13, 2006

Date: October 26, 2006

Claim 9 (previously presented): The inverted microscope as defined in Claim 3, wherein the

optical deflection element (11) can be selectably brought into or out of the working position.

Claim 10 (currently amended): The inverted microscope as defined in Claim [[3]] 8,

wherein the optical deflection element (11) can be selectably brought into or out of the working

position.

Claim 11 (previously presented): The inverted microscope as defined in Claim 8, wherein the

optical deflection element (11) can be selectably brought into or out of the working position.

Claim 12 (previously presented): The inverted microscope as defined in Claim 2, wherein an

infinity beam exists in the region of an attachment surface (9a) of the module attachment

apparatus (9).

Claim 13 (previously presented): The inverted microscope as defined in Claim 3, wherein an

infinity beam exists in the region of an attachment surface (9a) of the module attachment

apparatus (9).

Claim 14 (previously presented): The inverted microscope as defined in Claim 4, wherein an

infinity beam exists in the region of an attachment surface (9a) of the module attachment

apparatus (9).

Claim 15 (previously presented): The inverted microscope as defined in Claim 8, wherein an

infinity beam exists in the region of an attachment surface (9a) of the module attachment

apparatus (9).

U.S. Patent Application No. 10/735,394

Reply to Advisory Action dated September 22, 2006

concerning Office Action of June 13, 2006

Date: October 26, 2006

Claim 16 (previously presented): The inverted microscope as defined in Claim 9, wherein an

infinity beam exists in the region of an attachment surface (9a) of the module attachment

apparatus (9).

Claim 17 (previously presented): The inverted microscope as defined in Claim 10, wherein

an infinity beam exists in the region of an attachment surface (9a) of the module attachment

apparatus (9).

Claim 18 (previously presented): The inverted microscope as defined in Claim 11, wherein

an infinity beam exists in the region of an attachment surface (9a) of the module attachment

apparatus (9).

Claim 19 (previously presented): The inverted microscope as defined in Claim 2, wherein the

eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from those in

the photo tube (7) or photo device (8).

Claim 20 (previously presented): The inverted microscope as defined in Claim 3, wherein the

eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from those in

the photo tube (7) or photo device (8).

Claim 21 (previously presented): The inverted microscope as defined in Claim 4, wherein the

eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from those in

the photo tube (7) or photo device (8).

U.S. Patent Application No. 10/735,394

Reply to Advisory Action dated September 22, 2006

concerning Office Action of June 13, 2006

Date: October 26, 2006

Claim 22 (previously presented): The inverted microscope as defined in Claim 5, wherein the

eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from those in

the photo tube (7) or photo device (8).

Claim 23 (previously presented): The inverted microscope as defined in Claim 8, wherein the

eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from those in

the photo tube (7) or photo device (8).

Claim 24 (previously presented): The inverted microscope as defined in Claim 9, wherein the

eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from those in

the photo tube (7) or photo device (8).

Claim 25 (previously presented): The inverted microscope as defined in Claim 10, wherein

the eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from

those in the photo tube (7) or photo device (8).

Claim 26 (previously presented): The inverted microscope as defined in Claim 11, wherein

the eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from

those in the photo tube (7) or photo device (8).

Claim 27 (previously presented): The inverted microscope as defined in Claim 12, wherein

the eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from

those in the photo tube (7) or photo device (8).

U.S. Patent Application No. 10/735,394

Reply to Advisory Action dated September 22, 2006

concerning Office Action of June 13, 2006

Date: October 26, 2006

Claim 28 (previously presented): The inverted microscope as defined in Claim 13, wherein

the eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from

those in the photo tube (7) or photo device (8).

Claim 29 (previously presented): The inverted microscope as defined in Claim 14, wherein

the eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from

those in the photo tube (7) or photo device (8).

Claim 30 (previously presented): The inverted microscope as defined in Claim 15, wherein

the eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from

those in the photo tube (7) or photo device (8).

Claim 31 (previously presented): The inverted microscope as defined in Claim 16, wherein

the eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from

those in the photo tube (7) or photo device (8).

Claim 32 (previously presented): The inverted microscope as defined in Claim 17, wherein

the eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from

those in the photo tube (7) or photo device (8).

Claim 33 (previously presented): The inverted microscope as defined in Claim 18, wherein

the eyepieces (16a, 16b) of the binocular tube (6) have a different degree of correction from

those in the photo tube (7) or photo device (8).

U.S. Patent Application No. 10/735,394

Reply to Advisory Action dated September 22, 2006

concerning Office Action of June 13, 2006

Date: October 26, 2006

Claim 34 (previously presented): The inverted microscope as defined in Claim 19, wherein

the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the

photo tube (7) or photo device (8) have an HC correction.

Claim 35 (previously presented): The inverted microscope as defined in Claim 20, wherein

the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the

photo tube (7) or photo device (8) have an HC correction.

Claim 36 (previously presented): The inverted microscope as defined in Claim 21, wherein

the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the

photo tube (7) or photo device (8) have an HC correction.

Claim 37 (previously presented): The inverted microscope as defined in Claim 22, wherein

the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the

photo tube (7) or photo device (8) have an HC correction.

Claim 38 (previously presented): The inverted microscope as defined in Claim 23, wherein

the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the

photo tube (7) or photo device (8) have an HC correction.

Claim 39 (previously presented): The inverted microscope as defined in Claim 24, wherein

the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the

photo tube (7) or photo device (8) have an HC correction.

U.S. Patent Application No. 10/735,394

Reply to Advisory Action dated September 22, 2006

concerning Office Action of June 13, 2006

Date: October 26, 2006

Claim 40 (previously presented): The inverted microscope as defined in Claim 25, wherein

the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the

photo tube (7) or photo device (8) have an HC correction.

Claim 41 (previously presented): The inverted microscope as defined in Claim 26, wherein

the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the

photo tube (7) or photo device (8) have an HC correction.

Claim 42 (previously presented): The inverted microscope as defined in Claim 27, wherein

the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the

photo tube (7) or photo device (8) have an HC correction.

Claim 43 (previously presented): The inverted microscope as defined in Claim 28, wherein

the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the

photo tube (7) or photo device (8) have an HC correction.

Claim 44 (previously presented): The inverted microscope as defined in Claim 29, wherein

the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the

photo tube (7) or photo device (8) have an HC correction.

Claim 45 (previously presented): The inverted microscope as defined in Claim 30, wherein

the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the

photo tube (7) or photo device (8) have an HC correction.

Attorney Docket No. LWEP:121US U.S. Patent Application No. 10/735,394

Reply to Advisory Action dated September 22, 2006

concerning Office Action of June 13, 2006

Date: October 26, 2006

Claim 46 (previously presented): The inverted microscope as defined in Claim 31, wherein the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the photo tube (7) or photo device (8) have an HC correction.

Claim 47 (previously presented): The inverted microscope as defined in Claim 32, wherein the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the photo tube (7) or photo device (8) have an HC correction.

Claim 48 (previously presented): The inverted microscope as defined in Claim 33, wherein the eyepieces (16a, 16b) have a periplan correction, and the eyepieces or TV adapters in the photo tube (7) or photo device (8) have an HC correction.

Claim 49 (new): The inverted microscope as defined in Claim 3 wherein said passage through a second tube is parallel to said attachment surface.

Claim 50 (new): The inverted microscope as defined in Claim 8 wherein said passage through a second tube is parallel to said attachment surface.